



Thermo-Couple Products Co.

www.tcproducts.com

a division of Marsh Bellofram
www.marshbellofram.com
1-800-727-5646

UNIWELL

Series 1900

- Low Cost Alternative to Thermowell Assemblies
- Conductors Protected from Environment by Dense - Pack MgO and 446 SS Heavy Wall Sheath
- Simplicity of Installation
- Lower Conduction Losses
- Long-Life, 14 Gauge Nominal Size Conductors
- Elimination of Spring-Loading



Enter a selection for each item, please fax your inquiry to TCP.

Example: 1900

- - -
1900 - - - -

| CODE | WIRE CALIBRATION |
|---------------|------------------|
| K | Chromel/Alumel |
| J | Iron/Constantan |
| K is standard | |

| LENGTH "L" |
|---|
| Specify in inches 01 to 99. For lengths over 99 inches consult factory |

For more information,
Consult the Selection Guide
beginning on pg. 175

| CODE | SHEATH MATERIAL |
|----------------------|-----------------|
| 310 | 310 SS |
| 446 | 446 SS |
| Code 446 is standard | |

| CODE | JUNCTION STYLE |
|---------------------|------------------------|
| W1 | Grounded Flat Tip |
| W2 | Grounded Rounded Tip |
| W3 | Ungrounded Flat Tip |
| W4 | Ungrounded Rounded Tip |
| Code W2 is standard | |

Series 1910

- Compression Fitting is Provided on this Series
- Conductors Protected from Environment by Dense - Pack MgO and 446 SS Heavy Wall Sheath
- Simplicity of Installation
- Lower Conduction Losses
- Long-Life, 14 Gauge Nominal Size Conductors
- Elimination of Spring-Loading
- Low Cost Alternative to Thermowell Assemblies



Enter a selection for each item, please fax your inquiry to TCP.

Example: 1910 -

- - - -
1910 - - - -

| CODE | WIRE CALIBRATION |
|--------------------|------------------|
| K | Chromel/Alumel |
| J | Iron/Constantan |
| Code K is standard | |

| LENGTH "L" |
|---|
| Specify in inches 01 to 99. For lengths over 99 inches consult factory |

| CODE | PROCESS CONNECTION "P" |
|----------------------|------------------------|
| 1/2 | 1/2" NPT |
| 3/4 | 3/4" NPT |
| Code 1/2 is standard | |

| CODE | SHEATH MATERIAL |
|----------------------|-----------------|
| 310 | 310 SS |
| 446 | 446 SS |
| Code 446 is standard | |

| CODE | JUNCTION STYLE |
|---------------------|------------------------|
| W1 | Grounded Flat Tip |
| W2 | Grounded Rounded Tip |
| W3 | Ungrounded Flat Tip |
| W4 | Ungrounded Rounded Tip |
| Code W2 is standard | |